



KREM

攀 ColdRes

RET





SIZE & PACKING INFO	Pcs./Ctn.	m²/Ctn.	Ctn./Pallet	kg/Ctn.					
30 x 60cm	8	1,44	40	30					
60 x 60cm	4	1,44	40	30					
60 x 120cm	2	1,44	40	30					
Coefficient of Friction test results exceed A.D.A recommendations ASTM C-1028 >0.60 wet DCOF >0.42									
PRODUCT DESCRIPTION Rectified 30 x 60 & 60 x 60 & 60 x 120cm Glazed Floor Tile Available in Polished, Matt, Lapatto and R11 anti-slip finishes. Multiple faces. Also available in 20 x 120cm planks.									

SANDSTONE WHITE







SANDSTONE TAUPE, GREY BLACK & IVORY





SANDSTONE PRODUCT SPECIFICATION



GLAZED FLOOR TILE Pressed Ceramic Tiles International Norms ISO 13006-10545/98 GROUP: B1

No.	lcon	Test item Unit Requirements of Standard		Specifica- tion	Require- ment		
1	+++	Dimensional variation	(%)	length of side	±0.6	< 0.6	Qualified
2	ţ	Side straightness	(%)	± 0.5		< 0.5	Qualified
3		Squareness	(%)	± 0.6		< 0.6	Qualified
4 ↓ ↓		Surface flatness	(%)	Center curvature degree	± 0.5	< 0.5	Qualified
	<u>+ +</u>			Warping degree	± 0.5	< 0.5	Qualified
			Side curvature degree	± 0.5	< 0.5	Qualified	
5	Q	Surface quality		Sighting vertically at a distance of 0.8 meter away from the tile no defect on surface is observed in at least 95% of the tile		conformed	Qualified
6		Breaking strength	Ν	When thickness ≥ 7.5mm the Average value ≥ 1100		> 1100	Qualified
7		Rupture modulus	Мра	Average value ≥ 30 individual ≥ 27		> 30 > 30	Qualified
8	33000	Abrasion resistance	Revs	1500		> 1500	Qualified
9	Ŵ	Hardness	MOHS	Mohs Scale		> 6	Qualified
10	耧	Frost resistance		No cracking after test		conformed	Qualified
11	⊿	Resistance to acids & alkalis		not less than grade GB		Grade GA	Qualified
12		Chemical resistance		not less than grade GB		Grade GA	Qualified
13	ر الم	Clin registeres	R	Ramp slip rating test		R11	Exterior
	<u>/</u>	Slip resistance		DCoF: 0.42		>0.42	Matt/ Exterior